

PRAIRIE CAPITAL CONVENTION CENTER

Springfield, IL

TECH SPECS

MAIN HALL: 44,000 sq. ft

DOOR ACCESS: 4 corner doors 11'11" x 14'6"

FREIGHT ELEVATOR: 11' x 18' x 15'; 20,000 lb load limit

POWER: 800 amp, 600 amp, 400 amp, 3 phase 5 wire 30' from
down stage left

SHORE POWER: 1- 220 volt 100 amp

LOADING DOCKS: 4 w/ dock plates on main level- 20' push to stage

FLOOR LOAD LIMIT: 350 lbs per sq. ft.

SPOT LIGHTS: 6 Super Trooper, 2 Troopers

RIGGING: 47' to low steel, 72' to high steel

WEIGHT LIMITS: 1,000 lbs/ point

7,000 lbs/ truss

62,000 lbs/ half hall


120,000 lbs/ full hall

INTERNET: wireless and 1 hard wired

STAGING: SICO Roll-n-Set Stage

32 pieces of 8' x 8'

WEIGHT LIMIT: 125 lbs per sq. ft.




www.springfieldpc3.com/plan-your-event/tech-information.aspx

PRAIRIE CAPITAL CONVENTION CENTER


Springfield, IL






Primary & Secondary Truss Bottom Chord Plan


Low Steel 47'
High Steel 72'




TRUSS TR1, TR1A, TR3, or TR3A




TRUSS TR2, TR2A, TR4, TR4A



Partial Plan - Spreader Beams




TRUSS T1, T2, T4, T8, T9, or T10



TRUSS T3


Prarie Capital Convention Center

Plan & Details of
Allowable Hanging Loads



PRAIRIE CAPITAL CONVENTION CENTER


Springfield, IL



PRAIRIE CAPITAL CONVENTION CENTER

PRAIRIE CAPITAL CONVENTION CENTER

Springfield, IL



LOWER LEVEL LOCKER ROOMS & DRESSING ROOMS